
TABLE OF CONTENTS

1. Introduction	1-1
2. Hydrodynamics	2-1
Hydro File	2-1
Restart File	2-1
Reference	2-2
3. Water Quality	3-1
Hydro File	3-1
Open Water Reservoir	3-1
Agricultural Diversions and Returns	3-3
Mass Tracking Routine	3-4
Round-Off Error on Continuity at a Junction	3-6
Nonconservative Kinetics	3-7
Dissolved Oxygen Saturated Concentration	3-8
Atmospheric Reaeration	3-9
Subroutines	3-11
Preliminary Model Evaluation	3-21
Model Input	3-22
Scenario 1: Calibration of The Model	3-23
Scenario 2: Verification of The Model	3-36
References	3-44
4. Particle Tracking	4-1
General Description	4-1
New Developments	4-1
Addition of Smaller Time Steps	4-1
New Dispersion Calculations	4-1
Channel Grouping	4-2
Interfacing with DSM2	4-3
Future Modeling of Behavior	4-3
Channel Grouping: An Illustration	4-4
Study Request	4-5
Methodology and Assumptions	4-5
Conclusions	4-9
Opportunities for Further Investigation	4-9
References	4-11
5. Delta Islands	5-1
Delta Island Water Use Study	5-1
New Evapotranspiration Formulation	5-1
Channel Diversion Disaggregation	5-1
Historic Delta Land Use Database	5-1

Digital Land Use Data and DICU Subarea Boundaries	5-2
Other DWR Delta Land Use Data	5-2
USDA Consolidated Farm Service Agency Land Use Data	5-2
Return Flow Quality Specification	5-3
New Seepage and Irrigation Efficiency Estimates	5-5
Estimating Total Delta Seepage	5-5
Estimating Spatial Variation in Irrigation Efficiency	5-7
Modifications to Crop-Dependent Irrigation Efficiencies	5-11
Preliminary Validation	5-12
Summary	5-13
Model Calibration	5-13
Data Analysis/Acquisition/Assembly	5-13
Code Changes	5-13
References	5-14
6. Model Input System	6-1
Background	6-1
New Input System	6-1
Fixed Input	6-1
Time-Varying Input	6-2
7. Artificial Neural Networks and Their Applications	7-1
Introduction	7-1
Why Use ANNs	7-1
Applications at DWR	7-4
References	7-4
8. Disinfection By-product Formation	8-1
ANN Structure	8-1
Model Calibration and Sensitivity	8-1
Model Validation	8-2
Bromine Distribution Factors	8-4
References	8-5
9. Carriage Water	9-1
Definition of Carriage Water	9-1
Previous Work	9-1
Application of Artificial Neural Networks (ANNs)	9-2
Approaches Tried and Experiments Done	9-2
Final ANN Structure	9-2
DSM and ANN Carriage Water Demonstrations	9-3
Results	9-3
Future Directions	9-3
10. Geometry	10-1
Model Boundary Extension	10-1
Golden Gate Bridge Boundary	10-1
Shasta Dam Boundary	10-3
Delta Channel Geometry	10-3
11. Data Assembly	11-1
Afterword	A-1

TABLES

Table 3-1. Typical Ranges for Reaction Coefficients	3-19
Table 3-2. Temperature Coefficients for Reaction Rates	3-20
Table 3-3. Hydrology Used in Model Calibration and Verification	3-24
Table 3-4. Water Quality (Field Data ¹) at the Model Boundary September 1988 Simulation	3-25
Table 3-5. Water Quality (Field Data ¹) at the Model Boundary October 1988 Simulation	3-26
Table 3-6. Water Quality (Field Data ¹) at Selected Delta Locations September 1988 Simulation	3-27
Table 3-7. Water Quality (Field Data ¹) at Selected Delta Locations October 1988 Simulation	3-28
Table 4-1. Summary of Eight Requested Modeling Studies	4-5
Table 4-2. Example One Particle Time-History	4-10
Table 5-1. Summary of Historic Delta Land Use Surveys	5-3
Table 5-2. Drain Volumes in High-DOC Delta Subregion	5-6
Table 5-3. Drain Volumes in Mid-DOC Delta Subregion	5-6
Table 5-4. Drain Volumes in Low-DOC Delta Subregion	5-6
Table 5-5. Applied Water Volumes in High-DOC Delta Subregion	5-10
Table 5-6. Applied Water Volumes in Mid-DOC Delta Subregion	5-10
Table 5-7. Applied Water Volumes in Low-DOC Delta Subregion	5-10
Table 5-8. Proposed Delta Irrigation Efficiencies (Percentage) of Delta Average	5-12

FIGURES

Figure 1-1. DSM2 Modeling System	1-1
Figure 3-1. Channel Schematics for Case 1	3-2
Figure 3-2. Channel Schematics for Case 2	3-2
Figure 3-3. Channel Schematics for Case 3	3-3
Figure 3-4. Impact of Agricultural Drainage on Water Quality	3-4
Figure 3-5. Schematics of a Typical Junction Before Flow Corrections	3-6
Figure 3-6. Interaction Among Water Quality Constituents in the Model	3-9
Figure 3-7. Flow Chart for the Dynamic Simulation of Water Quality Variables in the Delta	3-11
Figure 3-8. Flow Chart for Subroutine KINETIC	3-12
Figure 3-9. Flow Chart for Subroutine CALSCSK	3-14
Figure 3-10. Flow Chart for Subroutine CALDO	3-15
Figure 3-11. Flow Chart for Subroutine CALALG (algae)	3-16
Figure 3-12. Flow Chart for Subroutine CALTEMP	3-17
Figure 3-13. Flow Chart for Subroutine HEAT	3-18
Figure 3-14. Monitoring Stations in San Joaquin River Near Stockton	3-21
Figure 3-15. Selected Monitoring Stations in the Sacramento-San Joaquin Delta ...	3-23
Figure 3-16. Dissolved Oxygen, Total Dissolved Solids, and Temperature at Martinez	3-29
Figure 3-17. Dissolved Oxygen, Total Dissolved Solids, and Temperature in the San Joaquin River at Mossdale	3-30

Figure 3-18. Dissolved Oxygen, Total Dissolved Solids, and Temperature in the San Joaquin River at Stockton	3-31
Figure 3-19. Computed Flows (tidally averaged) in the San Joaquin River	3-32
Figure 3-20. Channel Widths along the San Joaquin River	3-33
Figure 3-21. Channel Depths along the San Joaquin River	3-33
Figure 3-22a. Comparison of Observed and Simulated Dissolved Oxygen Profiles ..	3-34
Figure 3-22b. Comparison of Observed and Simulated Dissolved Oxygen Profiles ..	3-34
Figure 3-23a. Comparison of Observed and Simulated Temperature Profiles	3-35
Figure 3-23b. Comparison of Observed and Simulated Temperature Profiles	3-35
Figure 3-24a. Comparison of Observed and Simulated Nitrate Profiles	3-37
Figure 3-24b. Comparison of Observed and Simulated Nitrate Profiles	3-37
Figure 3-25a. Simulated Chlorophyll-a Profile	3-38
Figure 3-25b. Simulated Chlorophyll-a Profile	3-38
Figure 3-26a. Simulated Orthophosphate Profile	3-39
Figure 3-26b. Simulated Orthophosphate Profile	3-39
Figure 3-27. Computer Hourly Variation of Chlorophyll-a at Channel 17	3-40
Figure 3-28. Computer Hourly Variation of Dissolved Oxygen at Channel 17	3-41
Figure 3-29. Computer Hourly Variation of Ammonia at Channel 17	3-41
Figure 3-30. Computer Hourly Variation of Organic Nitrogen at Channel 17	3-42
Figure 3-31. Computer Hourly Variation of Nitrate at Channel 17	3-42
Figure 3-32. Computer Hourly Variation of Orthophosphate at Channel 17	3-43
Figure 3-33. Computer Hourly Variation of Temperature at Channel 17	3-43
Figure 4-1. Dispersion	4-2
Figure 4-2. COMPMECH Striped Bass Model Delta Compartments	4-6
Figure 4-3. PTM-Striped Bass Model Delta Compartments	4-7
Figure 4-4. Particle Release Sites and Percentages	4-8
Figure 5-1. Municipal Water Quality Investigations Delta Subregions	5-4
Figure 5-2. Delta Return Flow Unit Volumes	5-5
Figure 5-3. Irrigation Efficiency Estimates by Delta Subregion	5-8
Figure 6-1. Example of Format of Fixed Input to DWM2	6-2
Figure 6-2. Typical Section of Fixed Input Describing Time-Varying Specifications ..	6-3
Figure 6-3. Example of HECDSS Input	6-4
Figure 7-1. Single Input Neuron	7-1
Figure 7-2. Transfer Functions	7-2
Figure 7-3. Multiple Input Neuron	7-2
Figure 7-4. Single Layer of Neurons	7-3
Figure 7-5. Neural Network	7-3
Figure 8-1. TTHM ANN: Calibration Results	8-2
Figure 8-2. Bromine Incorporation Factor ANN: Calibration Results	8-2
Figure 8-3a. Deviation Between Predicted and Observed Chloroform Concentrations: Validation Results	8-3
Figure 8-3b. Deviation Between Predicted and Observed Dichlorobromomethane Concentrations: Validation Results	8-3
Figure 8-3c. Deviation Between Predicated and Observed Chlorodibromomethane Concentrations: Validation Results	8-3

Figure 8-3d. Deviation Between Predicated and Observed Bromoform Concentrations: Validation Results	8-3
Figure 8-4. Deviation Between Predicated and Observed Total THM Concentrations: Validation Results	8-3
Figure 8-5a. Predicated and Observed S_0 as a Function of Bromine Incorporation Factor: Calibration and Validation Data	8-4
Figure 8-5b. Predicated and Observed S_1 as a Function of Bromine Incorporation Factor: Calibration and Validation Data	8-4
Figure 8-5c. Predicated and Observed S_2 as a Function of Bromine Incorporation Factor: Calibration and Validation Data	8-4
Figure 8-5d. Predicated and Observed S_3 as a Function of Bromine Incorporation Factor: Calibration and Validation Data	8-4
Figure 9-1. Change in Salinity When Increasing Sacramento River Flow and Exports by the Same Amount (DSM Model Run)	9-4
Figure 9-2. Change in Salinity When Increasing Sacramento River Flow and Exports by the Same Amount (ANN Model Run)	9-5